

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1045	717/127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 13:55
L2	1321	717/124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 13:55
L3	536	717/126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 14:00
L4	667	717/131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 14:02
S1	0	UDI and asynchronous and (reply near3 handl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 12:44
S2	75	UDI and asynchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 12:46
S3	18	asynchronous and (reply near3 handling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 12:57
S4	0	UDI near3 paradigm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 12:58

EAST Search History

S5	22	uniform near2 driver near2 interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:27
S6	1015	(structur\$4 same procedure) and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:28
S7	187	(structur\$4 near3 procedure) and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:28
S8	21	(structur\$4 near3 procedure) and (break\$point\$1) and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:43
S9	101	(asynchronous near4 (cod\$4 near2 system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:44
S10	1	(asynchronous near4 (cod\$4 near2 system\$1)) and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:26
S11	4	(reply near2 handling) and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 13:54



Terms used

Found
180 of
198,991asynchronous coding system reply handling phase sub procedure procedure parameter variableSort results
by

relevance

 [Save results to a Binder](#)[Try an Advanced Search](#)Display
results

expanded form

 [Search Tips](#)[Try this search in The ACM Guide](#) [Open results in a new window](#)

Results 1 - 20 of 180

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Relevance scale

1 [Distributed systems - programming and management: On remote procedure call](#)

Patrícia Gomes Soares

November 1992 **Proceedings of the 1992 conference of the Centre for Advanced Studies on Collaborative research - Volume 2 CASCON '92**

Publisher: IBM Press

Full text available: [pdf\(4.52 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

The Remote Procedure Call (RPC) paradigm is reviewed. The concept is described, along with the backbone structure of the mechanisms that support it. An overview of works in supporting these mechanisms is discussed. Extensions to the paradigm that have been proposed to enlarge its suitability, are studied. The main contributions of this paper are a standard view and classification of RPC mechanisms according to different perspectives, and a snapshot of the paradigm in use today and of goals for t ...

2 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research CASCON '97**

Publisher: IBM Press

Full text available: [pdf\(4.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

3 [Proceedings of the SIGNUM conference on the programming environment for](#)

[development of numerical software](#)March 1979 **ACM SIGNUM Newsletter**, Volume 14 Issue 1

Publisher: ACM Press

Full text available: [pdf\(5.02 MB\)](#) Additional Information: [full citation](#)

4 [Special issue: AI in engineering](#)

D. Sriram, R. Joobhani

April 1985 **ACM SIGART Bulletin**, Issue 92

Publisher: ACM Press

Full text available: Additional Information:

The papers in this special issue were compiled from responses to the announcement in the July 1984 issue of the SIGART newsletter and notices posted over the ARPAnet. The interest being shown in this area is reflected in the sixty papers received from over six countries. About half the papers were received over the computer network.

5 Technical reports

 SIGACT News Staff

January 1980 **ACM SIGACT News**, Volume 12 Issue 1

Publisher: ACM Press

Full text available: .pdf(5.28 MB) Additional Information: [full citation](#)



6 Special issue: Game-playing programs: theory and practice

 M. A. Bramer

April 1982 **ACM SIGART Bulletin**, Issue 80

Publisher: ACM Press

Full text available: .pdf(9.23 MB) Additional Information: [full citation, abstract](#)



This collection of articles has been brought together to provide SIGART members with an overview of Artificial Intelligence approaches to constructing game-playing programs. Papers on both theory and practice are included.

7 BOS is boss: a case for bulk-synchronous object systems

 Mark W. Goudreau, Kevin Lang, Girija Narlikar, Satish B. Rao

June 1999 **Proceedings of the eleventh annual ACM symposium on Parallel algorithms and architectures SPAA '99**

Publisher: ACM Press

Full text available: .pdf(1.42 MB) Additional Information: [full citation, references, index terms](#)



8 Generating test cases for real-time systems from logic specifications

 Dino Mandrioli, Sandro Morasca, Angelo Morzenti

November 1995 **ACM Transactions on Computer Systems (TOCS)**, Volume 13 Issue 4

Publisher: ACM Press

Full text available: .pdf(2.31 MB) Additional Information: [full citation, abstract, references, citations, index terms, review](#)



We address the problem of automated derivation of functional test cases for real-time systems, by introducing techniques for generating test cases from formal specifications written in TRIO, a language that extends classical temporal logic to deal explicitly with time measures. We describe an interactive tool that has been built to implement these techniques, based on interpretation algorithms of the TRIO language. Several heuristic criteria are suggested to reduce drastically the size of t ...

9 Experiences with network-based user agents for mobile applications

Thomas F. La Porta, Thomas Woo, Krishan K. Sabnani, Ramachandran Ramjee

August 1998 **Mobile Networks and Applications**, Volume 3 Issue 2

Publisher: Kluwer Academic Publishers

Full text available: .pdf(631.57 KB) Additional Information: [full citation, abstract, references, citations, index terms](#)



Wireless networks are characterized by simple end devices and limited bandwidth. One solution to address these and other limitations of the wireless mobile environment that has been widely pursued is the placement of proxies, or agents, inside the network to assist with application processing that would normally take place on end devices. These agents can additionally manipulate data to reduce bandwidth requirements and assist in providing services. The design and implementation of a user a ...

10 The Alpine file system

 M. R. Brown, K. N. Kolling, E. A. Taft

November 1985 **ACM Transactions on Computer Systems (TOCS)**, Volume 3 Issue 4

Publisher: ACM Press

Full text available: .pdf(2.95 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Alpine is a file system that supports atomic transactions and is designed to operate as a service on a computer network. Alpine's primary purpose is to store files that represent databases. An important secondary goal is to store ordinary files representing documents, program modules, and the like. Unlike other file servers described in the literature, Alpine uses a log-based technique to implement atomic file update. Another unusual aspect of Alpine is that it performs all commu ...

11 The consensus problem in fault-tolerant computing

 Michael Barborak, Anton Dabura, Minošlaw Malek

June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2

Publisher: ACM Press

Full text available: .pdf(4.80 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: Byzantine agreement, consensus problem, decision theory, processor membership, system diagnosis

12 Supporting concurrency, communication, and synchronization in human-computer interaction—the Sassafras UIMS

 Ralph D. Hill

July 1986 **ACM Transactions on Graphics (TOG)**, Volume 5 Issue 3

Publisher: ACM Press

Full text available: .pdf(2.44 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Sassafras is a prototype User Interface Management System (UIMS) specifically designed to support a wide range of user interface styles. In particular, it supports the implementation of user interfaces where the user is free to manipulate multiple input devices and perform several (possibly related) tasks concurrently. These interfaces can be compactly represented and efficiently implemented without violating any of the rules of well-structured programming. Sassafras also supports elaborate ...

13 The Desert environment

 Steven P. Reiss

October 1999 **ACM Transactions on Software Engineering and Methodology (TOSEM)**, Volume 8 Issue 4

Publisher: ACM Press

Full text available: .pdf(868.64 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The Desert software engineering environment is a suite of tools developed to enhance programmer productivity through increased tool integration. It introduces an inexpensive form of data integration to provide additional tool capabilities and information sharing among tools, uses a common editor to give high-quality semantic feedback and to integrate different types of software artifacts, and builds virtual files on demand to address specific tasks. All this is done in an open and extensibl ...

Keywords: integrated programming environments, program editors

14 The TYPESET-10 Message Exchange Facility: a case study in systemic design

Michael J. Spier, Richard L. Hill, Timothy J. Stein, Daniel Bricklin

January 1975 **ACM SIGOPS Operating Systems Review**, Volume 9 Issue 1



Publisher: ACM Press

Full text available: [pdf\(1.00 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper describes the design considerations which led to the successful implementation of an interprocess communication mechanism, named the Message Exchange Facility (MX). The software implemented Message Exchange Facility provides services analogous to those of the hardware bus. It is the central link that binds a collection of synergistic asynchronous processes into a single systemic entity, the Digital Equipment Corporation's TYPESET-10 computerized newspaper production system. The peculi ...

15 [Mobile and multicast IP services in PACS: system architecture, prototype, and performance](#)



Yongguang Zhang, Bo Ryu

January 2001 **Mobile Networks and Applications**, Volume 6 Issue 1

Publisher: Kluwer Academic Publishers

Full text available: [pdf\(299.74 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: Mobile IP, PACS, cellular network, internet service, multicast

16 [Launching the new era](#)



◆ Kazuhiro Fuchi, Robert Kowalski, Koichi Furukawa, Kazunori Ueda, Ken Kahn, Takashi Chikayama, Evan Tick

March 1993 **Communications of the ACM**, Volume 36 Issue 3

Publisher: ACM Press

Full text available: [pdf\(3.45 MB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#), [review](#)

17 [Automatic synthesis and optimization of partially specified asynchronous systems](#)



◆ Alex Kondratyev, Jordi Cortadella, Michael Kishinevsky, Luciano Lavagno, Alexander Yakovlev June 1999 **Proceedings of the 36th ACM/IEEE conference on Design automation DAC '99**

Publisher: ACM Press

Full text available: [pdf\(183.96 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

18 [Customizable middleware for modular distributed software](#)



◆ May 2001 **Communications of the ACM**, Volume 44 Issue 5

Publisher: ACM Press

Full text available: [pdf\(179.23 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [html\(44.22 KB\)](#) [review](#)

19 [Model-driven design and deployment of service-enabled web applications](#)



◆ Ioana Manolescu, Marco Brambilla, Stefano Ceri, Sara Comai, Piero Fraternali August 2005 **ACM Transactions on Internet Technology (TOIT)**, Volume 5 Issue 3

Publisher: ACM Press

Full text available: [pdf\(3.07 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Significant effort is currently invested in application integration, enabling business processes of different companies to interact and form complex multiparty processes. Web service standards, based on WSDL (Web Service Definition Language), have been adopted as process-to-process communication paradigms. However, the conceptual modeling of applications using Web services has not yet been addressed. Interaction with Web

services is often specified at the level of the source code; thus, Web serv ...

Keywords: UML, Web application, Web services, WebML, modeling

20 Technical correspondence

 CORPORATE Tech Correspondence

October 1989 **Communications of the ACM**, Volume 32 Issue 10

Publisher: ACM Press

Full text available:  [pdf\(2.15 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



Results 1 - 20 of 180

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)

 [QuickTime](#)

 [Windows Media Player](#)

 [Real Player](#)

[Sign in](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 593 for **asynchronous blocking paradigm "UDI"**. (0.16 seconds)

Scholarly articles for **asynchronous blocking paradigm "UDI"**

[Concurrent constraint programming](#) - Saraswat - Cited by 553[Co-Ordinated Coscheduling in Clusters through a Generic ...](#) - Agarwari - Cited by 3[Concurrency control and recovery in database systems](#) - Bernstein - Cited by 2677[DDJ | Departments | SOA, Web Services and XML | SOA Web Services Blog](#)Again, the whole building **block paradigm** of software development has been trying to ...Developers are, by and large, not used to **asynchronous** programming. ...[www.ddj.com/blog/webservicesblog/archives/freelancer_2006_10.html](#) - 45k -[Cached](#) - [Similar pages](#)[DDJ | Departments | SOA, Web Services and XML | SOA Web Services Blog](#)Again, the whole building **block paradigm** of software development has been ... Hi Udi. (By the way, you have a great blog, and this is a great discussion. ...[www.ddj.com/blog/webservicesblog/archives/2006/10/serviceoriented.html?](#)[cid=GS_blog_udahan](#) - 45k - [Cached](#) - [Similar pages](#)[Udi Dahan - The Software Simplist » SOA](#)The **asynchronous** messaging patterns of old that have proven their robustness ... Again,the whole building **block paradigm** of software development has been ...[udidahan.weblogs.us/archives/category/soa/page/2/](#) - 50k - [Cached](#) - [Similar pages](#)[Udi Dahan - The Software Simplist » 2006 » October](#)Again, the whole building **block paradigm** of software development has been ... link service-oriented architectures and **Asynchronous** JavaScript and XML." ...[udidahan.weblogs.us/archives/date/2006/10/page/2/](#) - 41k - [Cached](#) - [Similar pages](#)[More results from [udidahan.weblogs.us](#)][Service-Oriented Elephants](#)Again, the whole building **block paradigm** of software development has been trying to take off for ... "Udi Dahan" on How EDA extends SOA and why it is ...[blogs.ittoolbox.com/eai/udidahan/archives/serviceoriented-elephants-12573](#) - 54k -[Cached](#) - [Similar pages](#)[\[PDF\] Technical White Paper](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)makes to the environment are **asynchronous** (also referred to as "non-blocking"). This means that when a region's code calls a **UDI** environment service ...[www.o3one.org/hwdocs/udi/UDI_tech_white_paper.pdf](#) - [Similar pages](#)[UDI NIC Driver Specification](#)In this **paradigm**, it is expected that an OS implementing multiple upper-layer ... **UDI**Initialization and Registration; Network Control **Block** Management ...[docsrv.sco.com/UDI_spec/nic_driver_spec-4.html](#) - 166k - [Cached](#) - [Similar pages](#)[\[PDF\] 1 Introduction 2 Issues and Status](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)thread that initiated the I/O request is a **paradigm** that is consistent with the ... The **UDI** control **block** scheduler is typically activated by a thread at a ...[www.incits.org/tc_home/r1htm/r101006.pdf](#) - [Similar pages](#)[\[PDF\] Microsoft PowerPoint - ITAS11PS.ppt](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

UDI requires one driver source for all compliant ... **Asynchronous** service calls. —Return without **blocking**. —Delayed completion. Delayed completion ...

www.csee.umbc.edu/help/architecture/porttomonterey.pdf - [Similar pages](#)

[PDF] [Microsoft PowerPoint - ITAS11PS.ppt](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

UDI requires one driver source for all compliant. UDI requires one driver ... **Asynchronous** service calls. —Return without **blocking**. Return without **blocking** ...

www.cs.umbc.edu/help/architecture/porttomonterey.pdf - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 11 - 20 of about 593 for **asynchronous blocking paradigm "UDI"**. (0.16 seconds)**Steve Eichert - SOA isn't just interface based programming it's...**Big software systems are written using this **paradigm** for years. ... The layers were theprimary building **block** of the system's architecture, not objects. ...

steve.emxsoftware.com/SOA/SOA+isn't+just+interface+based+programming+its - 37k -

[Cached](#) - [Similar pages](#)**Advance Program for PODC'98 and SPAA'98**"Dynamic-Fault-Prone BSP": A **Paradigm** for Robust Computations in ChangingEnvironments ... Unifying Synchronous and **Asynchronous** Message-Passing Models ...www.podc.org/podcspaa98/program.html - 26k - [Cached](#) - [Similar pages](#)**[PDF] Co-ordinated Coscheduling in Clusters through a Generic Framework**File Format: PDF/Adobe Acrobat - [View as HTML](#)be effectively utilized by other processes through a **blocking** mechanism. Thus, we believe that **asynchronous**, interrupt-driven techniques like SB can boost ...

www.osti.gov/energycitations/servlets/purl/15002084-iqvePp/native/15002084.pdf -

[Similar pages](#)**[Paper] Device Drivers as Reusable Components**Aspect Variation Example Data-transfer mode Character **Block** Terminal Disk ... The **UDI** project [1] is a multi-company effort to define a Uniform Driver ...www.actapress.com/PDFViewer.aspx?paperId=14544 - [Similar pages](#)**Arnon Rotem-Gal-Oz's Cirrus Minor - Thursday, 07 July 2005**The Composite UI Application **Block** (CAB) is an interesting architectural solution for ...AJAX is that it is an acronym for **Asynchronous** Javascript and XML. ...www.rgoarchitects.com/blog/default,date,2005-07-07.aspx - 100k - [Cached](#) - [Similar pages](#)**Distributed Systems - Silicon Valley - Home**We advocate a new **paradigm** for building systems by augmenting fault tolerance ... lower bound results for **asynchronous** consensus, and a generalization of ...research.microsoft.com/research/sv/distsys-group/ - 32k - [Cached](#) - [Similar pages](#)**[PDF] Co-ordinated coscheduling in time-sharing clusters through a ...**

File Format: PDF/Adobe Acrobat

ing more appropriate for the MPI-based **asynchronous** mes-, sage passing programming model, ... The results indicate that **blocking** based coscheduling ...ieeexplore.ieee.org/iel5/8878/28041/01253303.pdf - [Similar pages](#)**[PDF] A Look at Modern File Systems**File Format: PDF/Adobe Acrobat - [View as HTML](#)municate via **asynchronous** messages to minimize the amount of memory used and to ...

Burra Gopal, and Udi Manber. Integrating content-based access mechanisms ...

www.cs.ucsd.edu/classes/fa99/cse221/OSSurveyF99/

papers/abbott,fei,williams.a_look_at_modern_file_systems.pdf - [Similar pages](#)**SPAA 1998: Puerto Vallarta, Mexico****Blocking** in Parallel Multisearch Problems (Extended Abstract). 98-107 ... **Asynchronous**

Parallel Algorithm for Mining Association Rules on a Shared-Memory ...

www.informatik.uni-trier.de/~ley/db/conf/spaa/spaa98.html - 20k - [Cached](#) - [Similar pages](#)**[PDF] Using multicast communications to distribute code and data in wide ...**

File Format: PDF/Adobe Acrobat

However, **asynchronous** processing is more complicated to implement than the **blocking** style of communications as the system must keep track of the state of ...
doi.wiley.com/10.1002/spe.4380250506 - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)[Google](#)

Web Images Video News Maps [more »](#)
[asynchronous blocking paradigm "UDI" \(rober](#) Advanced Search Preferences

Web Results 1 - 10 of about 187 for [asynchronous blocking paradigm "UDI" \(robert andrew phillips\)](#). (0.32 second)

[\[PDF\] Contents](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

23 EE **Robert** Clarisó, Jordi Cortadella: Verification of timed circuits ... 1 EE Doug Edwards, Andrew Bardsley: Balsa: An **Asynchronous** Hardware Synthesis ...
www.scism.sbu.ac.uk/ccsv/ACID-WG/FinalReportFP5.pdf - [Similar pages](#)

[ACM Symposium on Parallel Algorithms and Architectures](#)

Asynchronous Parallel Algorithm for Mining Association Rules on a Shared-Memory ... by: A. Agrawal, Guy E. Blelloch, **Robert** L. Krawitz, C. A. **Phillips** ...
wotan.liu.edu/docis/dbl/spaasp/index.html - 184k - [Cached](#) - [Similar pages](#)

[IEEE Symposium on Foundations of Computer Science](#)

by: Haim Kaplan, Ron Shamir, **Robert** Endre Tarjan. IP over connection-oriented networks and distributional paging. by: Carsten Lund, Steven **Phillips**, ...
wotan.liu.edu/docis/dbl/focsfo/index.html - 452k - [Cached](#) - [Similar pages](#)

[\[PDF\] Tuesday, June 19, 2001](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

CHAIR: **Robert** C. Pack - Cadence Design Systems, Inc., San Jose , CA. ORGANIZERS: Lars Liebman, **Andrew** B. Kahng. Minimum feature sizes that are much smaller ...
www.dac.com/lib/PDFs/38glance.pdf - [Similar pages](#)

[\[PDF\] Tuesday, June 6](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

Phillips. Research Labs., Eindhoven, The Netherlands. 43.3S Metrics: A System Architecture. for Design Process Optimization. **Andrew** B. Kahng, Stefanus Mantik ...
www.dac.com/lib/PDFs/37glance.pdf - [Similar pages](#)

[DAC 2001 Abstracts](#)

The connected systems can be either synchronous or **asynchronous**. ... Chair: **Robert** C. Clark Organizers: **Andrew** B. Kahng, Lars Liebmann ...
www.sigda.org/Archives/ProceedingArchives/
Dac/Dac2001/papers/2001/dac01/htmfiles/sun_sgi/dacabs.htm - 182k - [Cached](#) - [Similar pages](#)

[\[PDF\] CD7725. Phillips 063-135](#)

File Format: PDF/Adobe Acrobat

phrenia in both the mismatch negativity **paradigm**, a re- ... ESPCs in layer V pyramidal cells of prefrontal cortex by an **asynchronous** ...
www.psychology.stir.ac.uk/staff/bphillips/documents/CD7725._Phillips_063-135.pdf - [Similar pages](#)

[International Journal of Parallel Programming](#)

Debra Hensgen and Raphael Finkel and **Udi** Manber Two algorithms for barrier ... Dean Engelhardt and **Andrew** Wendelborn A Partitioning-Independent **Paradigm** for ...
www.math.utah.edu/pub/tex/bib/toc/intjparallelprogram.html - 193k - [Cached](#) - [Similar pages](#)

[Lecture Notes in Computer Science](#)

72 Jeremy N. Bailenson and **Andrew** C. Beall and Jim Blascovich and Mike Raimundo ... H. Arpaci-Dusseau **Block Asynchronous** I/O: A Flexible Infrastructure for ...
www.math.utah.edu/pub/tex/bib/toc/lncs2001d.html - [Similar pages](#)
[\[More results from www.math.utah.edu \]](#)

No Title Thomas Van Baak The File Disk Drive David F. Bacon ...

Richard L. Phillips (Summ) MediaView: An Editable Multimedia Publishing System ... of
Interface and Implementation in C++ Udi Manber (Wint) Finding Similar ...
www.std.com/obi/Usenix/index.html - 182k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

asynchronous blocking paradigm "UDI" (harold michael wenzel)	Search	Advanced Search
		Preferences

WebResults 1 - 6 of 6 for **asynchronous blocking paradigm "UDI" (harold michael wenzel)** (0.31 seconds)

Tip: Try removing quotes from your search to get more results.

[Audio System for Technical Readings T V. Raman Ph.D Thesis IR 94 ...](#)

AFL, a block structured language, captures this state in an AFL program variable, ... by play-once could itself be either synchronous or **asynchronous** ...
historical.ncstrl.org/tr/temp/ocr/cs-tr.cs.cornell.edu/TR94-1408 - 263k -
[Cached](#) - [Similar pages](#)

[dictionary](#)

... asymptotically asymptotically asynapsis asynartete **asynchronous** asynchrony ... udder uddered udderlike udders udell **udi** udic udish udolphoish ...
www.ece.umd.edu/courses/enee759m.S2002/SPEC-benchmarks/dictionary - [Similar pages](#)

[pend sec aids cia co cpa dc ddt](#)

... Hardin's Harlan Harlan's Harmon Harmon's **Harold Harold's** Harper Harper's ... Ud Ud's **Udi Udi's** Udic Udic's Udish Udish's Udolphoish Udolphoish's Uds ...
www.colonyathartsdale.com/zelco/dict - [Similar pages](#)

[1 broadly 2 defined 3 to 4 include](#)

... 1717 changes 1718 **paradigm** 1719 shifts 1720 photographs 1721 comets 1722 ...
43485 econosystems 43486 ramstetter 43487 **wenzel** 43488 subtitled 43489 ...
olc.ij.s.si/dmozTxt/Matrices/WordList.txt - [Similar pages](#)

[Amazon.com: Subjects: Books: Nonfiction, Literature & Fiction ...](#)

Law of Attraction: The Science of Attracting of More of What You Want and Less of What You Don't Want by **Michael Losier** (Paperback - Oct 31, 2004) ...
www.amazon.com/s?ie=UTF8&rh=n%3A1000&page=1 - 146k - Mar 29, 2007 -
[Cached](#) - [Similar pages](#)

[Encyclopedia BETA](#)

A. H. Bulbulian ResidenceA. H. DoddA. **Harold** Wood A. Harry MooreA. Holly PattersonA. I. Bezzerides A. I. SabraA. I. VinogradovA. J. A. Symons ...
en.allExperts.com/e/a/ - 494k - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 6 already displayed.

If you like, you can [repeat the search with the omitted results included](#).

[Download Google Pack: free essential software for your PC](#)

asynchronous blocking paradigm "U	Search
-----------------------------------	------------------------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)